

Eni Rotra Truck Gear 80W-90

Eni Rotra Truck Gear is a special EP gear oil, both applicable as a gear oil API GL-4 as well as axle oil GL-5 for the application in manual transmissions and axle drives with hypoid gear, operating under moderate or severe conditions, for highly loaded gears and end drives in vehicles as well as agricultural, constructional and working machineries.

CHARACTERISTICS (TYPICAL FIGURES)

| Eni Rotra Truck Gear | | 80W-90 | Test method |
|----------------------|-------|--------|--------------|
| Viscosity at 100°C | mm²/s | 15 | ASTM D 445 |
| Viscosity at 40°C | mm²/s | 142 | DIN 51 562 |
| Viscosity at -26°C | mPa.s | 90000 | DIN 51 562 |
| Viscosity Index | - | 106 | DIN ISO 2909 |
| Flash Point COC | °C | 215 | ASTM D 92 |
| Pour Point | °C | -30 | ASTM D 97 |
| Mass Density at 15°C | kg/l | 0,900 | ASTM D 1298 |

PROPERTIES AND PERFORMANCE

- Eni Rotra Truck Gear provides outstanding thermal stability, excellent corrosion protection and superior seal compatibility.
- Eni Rotra Truck Gear is fully compatible with synchromesh transmissions.

SPECIFICATIONS

Eni Rotra Truck Gear meets the requirements* of the following service and specifications:

- API GL-4/ GL-5, MT-1
- MIL-PRF-2105E*
- SAE J 2360
- MAN 341 Typ Z-2
- MAN 342 Typ M-2
- MAM 341 Typ E2*
- MB 235.0*
- Scania STO 1:0*
- ZF* TE-ML 02B, 05A, 07A, 12E, 16B, 17B, 19B, 21A
- NATO 0-226
- Liebherr Cranes (suitable for use)