

according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni GR MU EP 1

Material number 887

Revision date: 10.2.2023 Version: 2.1 Replaces version: 2.0 Language: en-DE Date of print: 22.2.2023

Page: 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name: Eni GR MU EP 1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Lubricants, greases, release products (fat).

## 1.3 Details of the supplier of the safety data sheet

Company name: Eni Schmiertechnik GmbH

Street/POB-No.: Paradiesstraße 14
Postal Code, city: DE-97080 Würzburg
WWW: www.enischmiertechnik.de
E-mail: info.wuerzburg@eni.com
Telephone: +49 (0)931-90098-0
Telefax: +49 (0)931-98442

Department responsible for information:

Application Engineering & Product Management (AEPM)

Telephone: +49 (0)931-90098-0 E-mail: technik.wuerzburg@eni.com

## 1.4 Emergency telephone number

GIZ-Nord, Göttingen

Telephone: +49 (0)551-19240

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to EC regulation 1272/2008 (CLP)

This mixture is classified as not hazardous.

#### 2.2 Label elements

## Labelling (CLP)

Hazard statements: not applicable
Precautionary statements: not applicable

Special labelling

EUH208 Contains Naphthenic acids, zinc salts and Polysulfides, di-tert-dodecyl. May

produce an allergic reaction.

EUH210 Safety data sheet available on request.

## 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

# **SECTION 3: Composition/information on ingredients**

3.1 Substances: not applicable



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni GR MU EP 1

Revision date: 10.2.2023 Version: 2.1 Replaces version: Language:

Page

2.0 en-DF Date of print: 22.2.2023

2 of 8

#### 3.2 Mixtures

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 234-409-2 CAS 12001-85-3	Naphthenic acids, zinc salts Eye Irrit. 2; H319. Skin Sens. 1B; H317. Aquatic Chronic 2; H411.	< 1 %
REACH 01-2119540516-41-xxxx EC No. 270-335-7 CAS 68425-15-0	Polysulfides, di-tert-dodecyl Skin Sens. 1B; H317.	< 1 %

Full text of H- and FUH-statements: see section 16

Additional information: The highly refined mineral oil contains <3% (w/w) DMSO extract, according to IP346.

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General information: Take off contaminated clothing and wash it before reuse.

In the event of cardiac arrest immediately perform cardiopulmonary resuscitation.

In case of inhalation: Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or

> stopped, administer artificial respiration. Seek medical attention if problems persist.

Following skin contact: Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions,

consult a physician.

After eye contact: Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart.

Remove contact lenses, if present and easy to do. Continue rinsing. In case of troubles or

persistent symptoms, consult an opthalmologist.

After swallowing: Rinse mouth with water. Never give anything by mouth to an unconscious person. Do not

induce vomiting. Danger of aspiration! Immediately get medical attention.

## 4.2 Most important symptoms and effects, both acute and delayed

May cause allergic reactions in already sensitized persons. Respiratory complaints, headache, dizziness, nausea.

Symptoms can occur only after several hours.

# 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media: Foam, extinguishing powder, sand, carbon dioxide.

Extinguishing media which must not be used for safety reasons:

Water, full water jet

#### 5.2 Special hazards arising from the substance or mixture

May form dangerous gases and vapours in case of fire.

Furthermore, there may develop: Nitrogen oxides (NOx), carbon monoxide and carbon dioxide.

# 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information Cool exposed containers with water spray, but avoid contact of the substance with water. Move

undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or

surface water. Do not inhale explosion and combustion gases.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni GR MU EP 1

Material number 887

Revision date: 10.2.2023 Version: 2.1 Replaces version: 2.0 Language: en-DE Date of print: 22.2.2023

Page: 3 of 8

#### **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe mist/vapours/spray. Provide adequate ventilation. Remove all sources of ignition. Wear appropriate protective equipment.

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing. Keep unprotected people away.

#### 6.2 Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

#### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Never return spills in original containers for re-use.

Make sure spills can be contained, e.g. in sump pallets or kerbed areas. cover drains. Clean contaminated articles and floor according to the environmental legislation. Retain contaminated washing water and dispose it.

Additional information: Special danger of slipping by leaking/spilling product.

## 6.4 Reference to other sections

Refer additionally to section 8 and 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Advices on safe handling:

Do not breathe mist/vapours/spray. Provide adequate ventilation, and local exhaust as needed.

Wear appropriate protective equipment.

Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and clothing.

Precautions against fire and explosion:

Keep away from heat.

When handling larger quantities, take precautionary measures against electrostatic charging.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers:

Keep container tightly closed and in a well-ventilated place.

Keep container dry. Keep only in the original container.

Protect against heat, sun rays and frost. Store containers in upright position.

storage temperature: 0 - 40 °C (Shelf life: ≥ 6 months)

Do not store at temperatures below 0 °C.

Hints on joint storage: Do not store together with: oxidizing agents, acids.

Keep away from food, drink and animal feedingstuffs.

Storage class: 10 = Combustible liquids, unless storage class 3

#### 7.3 Specific end use(s)

No information available.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni GR MU EP 1

Material number 887

Revision date: 10.2.2023 Version: 2.1 Replaces version: 2.0 Language: en-DE Date of print: 22.2.2023

Page: 4 of 8

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

Occupational exposure limit values:

CAS No.	Designation	Туре	Limit value
68425-15-0	Polysulfides, di-tert-dodecyl	Germany: TRGS 900 Kurzzeit Germany: TRGS 900 Langzeit	20 mg/m³ (respirable fraction) 5 mg/m³ (respirable fraction)

DNEL/DMEL: Information about Polysulfides, di-tert-dodecyl:

DNEL workers, long-term, systemic, inhalative: 32,9 mg/m³ DNEL workers, long-term, systemic, dermal: 47,6 mg/kg bw/d

Information about Naphthenic acids, zinc salts:

DNEL workers, long-term, systemic, inhalative: 1,18 mg/m³ DNEL workers, long-term, systemic, dermal: 3,3 mg/kg bw/d

PNEC: Information about Polysulfides, di-tert-dodecyl:

PNEC sewage treatment plant: 1 mg/L

## 8.2 Exposure controls

Provide good ventilation and/or an exhaust system in the work area.

#### Personal protection equipment

# Occupational exposure controls

Respiratory protection: In case of inadequate ventilation wear respiratory protection.

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: Protective gloves according to EN 374.

Glove material: nitrile rubber Layer thickness: 0,12 mm Breakthrough time: 4 h

Unsuitable glove material: Butyl caoutchouc (butyl rubber), NR (natural rubber, Natural latex),

CR (Polychloroprene, Chloroprene rubber)

Eye protection: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures:

Take off contaminated clothing and wash it before reuse. Avoid contact with skin, eyes, and

clothing.

Do not breathe mist/vapours/spray. Do not eat, drink or smoke when using this product.

Wash hands thoroughly after handling.

#### **Environmental exposure controls**

Refer to "6.2 Environmental precautions".

# **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state at 20 °C and 101.3 kPa liquid

Form: Paste

Colour: Beige

Odour:

Odour threshold:

Not determined

Melting point/freezing point:

Not determined

> 190 °C

Initial boiling point and boiling range:

> 250 °C

Flammability: No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni GR MU EP 1

Revision date: 10.2.2023 Version: Replaces version: 2.0 Language: en-DF Date of print: 22.2.2023

Page: 5 of 8

Upper/lower flammability or explosive limits: LEL (Lower Explosion Limit): Not determined

UEL (Upper Explosive Limit): Not determined

Flash point/flash point range: > 200 °C

Decomposition temperature: No data available No data available pH: No data available Viscosity, kinematic: Not determined Water solubility Not determined Partition coefficient: n-octanol/water: No data available Vapour pressure: Density: at 25 °C: ca. 0,93 g/mL at 20 °C: Not determined

Particle characteristics: Not applicable

9.2 Other information

Vapour density:

Explosive properties: Not explosive

Oxidizing characteristics: This material is combustible, but will not ignite readily.

No data available Auto-ignition temperature: Not determined Additional information: No data available

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Refer to subsection "Possilbility of hazardous reactions".

#### 10.2 Chemical stability

Stable under recommended storage conditions.

# 10.3 Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4 Conditions to avoid

Protect against heat, sun rays and frost.

# 10.5 Incompatible materials

Oxidizing agents, acids.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products when regulations for storage and handling are observed.

Thermal decomposition: No data available



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni GR MU EP 1

Material number 887

Revision date: 10.2.2023
Version: 2.1
Replaces version: 2.0
Language: en-DE
Date of print: 22.2.2023

Page: 6 of 8

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological effects:

The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.

Acute toxicity (dermal): Based on available data, the classification criteria are not met.

Acute toxicity (inhalative): Based on available data, the classification criteria are not met.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/irritation: Based on available data, the classification criteria are not met.

Sensitisation to the respiratory tract: Based on available data, the classification criteria are not

Skin sensitisation: Based on available data, the classification criteria are not met.

Contains Naphthenic acids, zinc salts and Polysulfides, di-tert-dodecyl. May produce an allergic reaction.

Germ cell mutagenicity/Genotoxicity: Based on available data, the classification criteria are not met

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

Effects on or via lactation: Lack of data.

Specific target organ toxicity (single exposure): Based on available data, the classification criteria are not met.

Specific target organ toxicity (repeated exposure): Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

#### 11.2 Information on other hazards

Endocrine disrupting properties: No data available

Other information:

No data available

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

#### 12.2 Persistence and degradability

Further details: No data available

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:

Not determined

#### 12.4 Mobility in soil

No data available

# 12.5 Results of PBT and vPvB assessment

No data available

# 12.6 Endocrine disrupting properties

No data available

#### 12.7 Other adverse effects

General information: Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

# Eni GR MU EP 1

Material number 887

 Revision date:
 10.2.2023

 Version:
 2.1

 Replaces version:
 2.0

 Language:
 en-DE

 Date of print:
 22.2.2023

Page: 7 of 8

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Waste key number: 12 01 12\* = spent waxes and fats

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.

**Package** 

Waste key number: 15 01 10\* = packaging containing residues of or contaminated by dangerous substances

\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation. Non-contaminated packages may be

recycled. Handle contaminated packages in the same way as the substance itself.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

## 14.2 UN proper shipping name

ADR/RID, ADN, IMDG, IATA-DGR:

Not restricted

#### 14.3 Transport hazard class(es)

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.4 Packing group

ADR/RID, ADN, IMDG, IATA-DGR:

not applicable

#### 14.5 Environmental hazards

Dangerous for the environment: Substance/mixture is not environmentally hazardous

according to the criteria of the UN model regulations.

Marine pollutant - IMDG: no

# 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

No data available

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations - Germany

Storage class: 10 = Combustible liquids, unless storage class 3

Water Hazard Class: 1 = slightly hazardous to water (Self-classification (mixture).)

Technical guidance air: 5.2.5

Further regulations, limitations and legal requirements:

The product is not subject to the Chemicals Prohibition Ordinance (ChemVerbotsV).

#### National regulations - EC member states

Volatile organic compounds (VOC):

< 3 % by weight



according to Regulation (EC) No 1907/2006 (REACH) and Regulation (EU) 2020/878

Eni GR MU EP 1

Revision date: 10.2.2023 Version: 2.1 Replaces ver Language: Date of print: 22.2.2023

Page

2.0 en-DF

8 of 8

#### Labelling of packaging with <= 125mL content

Hazard statements Contains Naphthenic acids, zinc salts and Polysulfides, di-tert-dodecyl. May

produce an allergic reaction.

Safety data sheet available on request.

Precautionary statements: not applicable Further regulations, limitations and legal requireme No data available

#### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

# **SECTION 16: Other information**

Wording of the H-phrases under paragraph 2 and 3:

H317 = May cause an allergic skin reaction.

H319 = Causes serious eye irritation.

H411 = Toxic to aquatic life with long lasting effects.

EUH208 = Contains Naphthenic acids, zinc salts and Polysulfides, di-tert-dodecyl. May produce

an allergic reaction.

EUH210 = Safety data sheet available on request.

Reason of change General revision Date of first version: 21.7.2022

Department issuing data sheet: see section 1: Department responsible for information

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Chronic: Hazardous to the aquatic environment - chronic AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations CLP: Classification, Labelling and Packaging DMEL: Derived minimal effect level DNFI : Derived no-effect level

EC: European Community EN: European Standard EQ: Excepted quantities EU: European Union Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code LEL: Lower Explosion Limit

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

OSHA: Occupational Safety and Health Administration PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

Skin Sens.: Skin sensitisation

TRGS: Technical Rules for Hazardous Substances

vPvB: Very persistent and very bioaccumulative

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

> Most recent product information is available http://sumdat.net/w3x12

