

according to UK REACH Regulation

Revision date
23.06.2023

# Divinol ICL ISO 460

Article No.: 21750

Page 1 of 8

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

# 1.1. Product identifier

21750 Divinol ICL ISO 460

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

### Lubricant

# 1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
E-mail:	info@zeller-gmelin.de	
Contact person:	Thorsten Grönig	Telephone: +49 (0) 7161 / 802-268
E-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
<u>1.4. Emergency telephone</u> number:	In England and Wales: NHS Direct: 084 08454 24 24 24	5 4647 or 111 In Scotland: NHS 24 -

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

# 2.2. Label elements

GB CLP Regulation

EUH210

# Special labelling of certain mixtures

Safety data sheet available on request.

# 2.3. Other hazards

No further relevant information available.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

# Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

#### **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation)			
68955-53-3	amines, C10-14-tert-alkyl-		< 0.1 %	
	701-175-2		01-2119456798-18	
	Acute Tox. 2, Acute Tox. 3, Acute Tox. 4, Skin Corr. 1B, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H311 H302 H314 H318 H317 H400 H410			

# Full text of H and EUH statements: see section 16.

#### Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
Specific Conc. Limits, M-factors and ATE			
68955-53-3	701-175-2	amines, C10-14-tert-alkyl-	< 0.1 %
inhalation: LC50 = 1,19 mg/l (vapours); inhalation: ATE = 0,05 mg/l (dusts or mists); dermal: LD50 = 251 mg/kg; oral: LD50 = 612 mg/kg_Skin Sens. 1A; H317: >= 9 - 100			

according to UK REACH Regulation

Revision date: 23.06.2023

# Divinol ICL ISO 460

# Article No.: 21750

Page 2 of 8

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

# 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

## **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

# 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

# General advice

Protective measures: see section 7 + 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Protective measures: see section 7 + 8.

#### **SECTION 7: Handling and storage**

according to UK REACH Regulation

Revision date:
23.06.2023

# Divinol ICL ISO 460

Article No.: 21750

Page 3 of 8

# 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

### Advice on protection against fire and explosion

No special measures are necessary.

## Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL** values

CAS No	Substance	-	-	
DNEL type		Exposure route	Effect	Value
68955-53-3	amines, C10-14-tert-alkyl-			
Consumer DN	EL, long-term	oral		0,35 mg/kg bw/day

#### **PNEC** values

CAS No	Substance	
Environmental compartment		Value
68955-53-3	amines, C10-14-tert-alkyl-	
Freshwater		0,001 mg/l

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

# 8.2. Exposure controls

#### Appropriate engineering controls

See section 7. No additional measures necessary.

# Individual protection measures, such as personal protective equipment

#### Eye/face protection

Eye glasses with side protection (EN ISO 16321).

#### Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.



according to UK REACH Regulation

Revision date:	Divinol ICL ISO 460	
23.06.2023	Article No.: 21750	Page 4 of 8

Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Skin protection

Protective clothing.

# **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	light brown
Odour:	characteristic

		Test method
Melting point/freezing point:	not determined	
Boiling point or initial boiling point and	not determined	
boiling range:		
Flammability:	not determined	
Lower explosion limits:	0,6 vol. %	
Upper explosion limits:	6,5 vol. %	
Flash point:	> 210 °C	EN ISO 2592
Auto-ignition temperature:	not determined	
Decomposition temperature:	not determined	
pH-Value:	not applicable	
Viscosity / kinematic:	460 mm²/s	ASTM D 7042
(at 40 °C)		
Water solubility:	insoluble	
Partition coefficient n-octanol/water:	not determined	
Vapour pressure:	< 0,1 hPa	
(at 20 °C)		
Density (at 15 °C):		DIN EN ISO 12185
Relative vapour density:	not determined	
Particle characteristics:	not applicable	
9.2. Other information		
Other safety characteristics		
Pour point:	<= -9 °C	ASTM D 7346
Viscosity / dynamic:	not determined	
Flow time:	not determined	
Further Information		
No further relevant information available.		

# **SECTION 10: Stability and reactivity**

# 10.1. Reactivity

No information available.

# 10.2. Chemical stability

No information available.

# 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

# 10.4. Conditions to avoid

Heat.



according to UK REACH Regulation

# Revision date: 23.06.2023

Divinol ICL ISO 460 Article No.: 21750

Page 5 of 8

## 10.5. Incompatible materials

No information available.

# 10.6. Hazardous decomposition products

No information available.

# **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
68955-53-3	amines, C10-14-tert-alkyl-					
	oral	LD50 mg/kg	612	Rat		
	dermal	LD50 mg/kg	251	Rat		
	inhalation (4 h) vapour	LC50	1,19 mg/l	Rat - female		
	inhalation dust/mist	ATE	0,05 mg/l			

#### Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

# **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

### 12.2. Persistence and degradability

There are no data available on the mixture itself.

# 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

#### 12.4. Mobility in soil

No data available

# 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties



according to UK REACH Regulation

Revision date:	
23.06.2023	

# Divinol ICL ISO 460 Article No.: 21750

Page 6 of 8

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

# 12.7. Other adverse effects

No data available

# SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

#### **Disposal recommendations**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

## List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

#### Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

## **SECTION 14: Transport information**

# Land transport (ADR/RID)

Land transport (ADR/RID)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine transport (IMDG)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
Marine pollutant:	NO		
Air transport (ICAO-TI/IATA-DGR)			
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.		
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.		
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.		
14.4. Packing group:	No dangerous good in sense of this transport regulation.		
14.5. Environmental hazards			
ENVIRONMENTALLY HAZARDOUS:	No		
14.6. Special precautions for user			
No data available			
14.7. Maritime transport in bulk according to IMO instruments			
No data available			
SECTION 15: Regulatory information			
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			

0 %

# EU regulatory information Restrictions on use (REACH, annex XVII): Entry 75 Directive 2010/75/EU on industrial emissions:

according to UK REACH Regulation

evision date:		Divinol ICL ISO 460	
3.06.2023		Article No.: 21750	Page 7 o
Information according 2012/18/EU (SEVES	•	Not subject to 2012/18/EU (SEVESO III)	
National regulatory	information		
Water hazard class (	D):	1 - slightly hazardous to water	
5.2. Chemical safety a	ssessment		
Chemical safety	assessments for si	ubstances in this mixture were not carried out.	
ECTION 16: Other in	nformation		
Changes			
This data sheet c	ontains changes fr	rom the previous version in section(s): 1,2,3,4,5,6,7,8,9,10,11,12,13,14,15,16.	
Abbreviations and a	cronyms		
Acute Tox: Acute	toxicity		
Skin Corr: Skin c	orrosion		
Eye Dam: Eye da	-		
Skin Sens: Skin s			
	cute aquatic hazar		
	Chronic aquatic ha		
	-	ernational des marchandises dangereuses par route (Agreement concerning	
		erous Goods by Road)	
-		sport international ferroviaire des marchandises dangereuses (Regulations ge of Dangerous Goods by Rail)	
-	-	for Dangerous Goods	
	al Air Transport As	-	
	nal Civil Aviation O		
		a division of the American Chemical Society)	
		evel / Derived Minimal Effect Level	
PNEC: Predicted	No Effect Concen	itration	
WEL (UK): Work	place Exposure Lir	mits	
TWA (EC): Time	Weighted Average	8	
STEL (EC): Shor	t Term Exposure L	limit	
ATE: Acute Toxic	ity Estimate		
	se, 50% (median le		
		median lethal concentration)	
	nal Effective Conce		
	erms of reduction of	-	
AwSV: Verordnu	ng über Anlagen zu	um Umgang mit wassergefährdenden Stoffen	
Relevant H and EUH	-		
H302	Harmful if sw		
H311		tact with skin.	
H314		ere skin burns and eye damage.	
H317	•	an allergic skin reaction.	
H318	Fatal if inhal	ous eye damage.	
H330 H400			
H400 H410	Very toxic to	aquatic life with long lasting effects.	
EUH210	-	sheet available on request.	
Further Information	-		
Safety Data Shee	et according to CO	MMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II	
to Regulation (EC	C) No 1907/2006		

present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.



according to UK REACH Regulation

Revision date:	Divinol ICL ISO 460	
23.06.2023	Article No.: 21750	Page 8 of 8

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)