

according to UK REACH Regulation

Revision date: 30.03.2022

# Divinol CVT Fluid

Article No.: 51870

Page 1 of 7

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

51870 Divinol CVT Fluid

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture
------------------------------

## Lubricant

## 1.3. Details of the supplier of the safety data sheet

Company name:	Zeller+Gmelin GmbH & Co. KG	
Street:	Schlossstr. 20	
Place:	D-73054 Eislingen	
Telephone:	+49 (0) 7161 / 802-0	Telefax: +49 (0) 7161 / 802-290
E-mail:	info@zeller-gmelin.de	
Contact person:	Thorsten Grönig	Telephone: +49 (0) 7161 / 802-268
E-mail:	produktsicherheit@zeller-gmelin.de	
Internet:	www.zeller-gmelin.de	
Responsible Department:	Produktsicherheit / Product Safety	
1.4. Emergency telephone	Germany: +49 (0) 7161 / 802-400	
number:	In England and Wales: NHS Direct: 084 08454 24 24 24 In Republic of Ireland: 0	

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

## **GB CLP Regulation**

This mixture is not classified as hazardous in accordance with GB CLP Regulation.

## 2.2. Label elements

#### **GB CLP Regulation**

EUH210

## Special labelling of certain mixtures

Safety data sheet available on request.

### 2.3. Other hazards

No further relevant information available.

## **SECTION 3: Composition/information on ingredients**

### 3.2. Mixtures

## Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

## **Relevant ingredients**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (GB CLP Regulation	n)		
64742-55-8	distillates (petroleum), hydrotreat	ed light paraffinic		25 - < 100 %
	265-158-7	649-468-00-3	01-2119487077-29	
	Asp. Tox. 1; H304	-		
	methacrylate copolymer			5 - < 10 %
	Eye Irrit. 2; H319			
72623-86-0	lubricating oils (petroleum), C15-	30, hydrotreated neutral oil-ba	sed	2.5 - < 5 %
	276-737-9	649-482-00-X	01-2119474878-16	
	Asp. Tox. 1; H304			

Full text of H and EUH statements: see section 16.

according to UK REACH Regulation

Revision date: 30.03.2022

## **Divinol CVT Fluid**

## Article No.: 51870

Page 2 of 7

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

#### **General information**

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### After inhalation

Remove casualty to fresh air and keep warm and at rest.

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

#### After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

#### After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

#### 4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

## 4.3. Indication of any immediate medical attention and special treatment needed

No information available.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

#### Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO2).

#### Unsuitable extinguishing media

Full water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO2). Do not inhale explosion and combustion gases.

## 5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

## General advice

Protective measures: see section 7 + 8.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

#### 6.3. Methods and material for containment and cleaning up

#### Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

#### 6.4. Reference to other sections

Protective measures: see section 7 + 8.

#### **SECTION 7: Handling and storage**

Revisio 30.03.2

## Safety Data Sheet

according to UK REACH Regulation

ion date:	Divinol CVT Fluid	
.2022	Article No.: 51870	Page

### 7.1. Precautions for safe handling

#### Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

#### Advice on protection against fire and explosion

No special measures are necessary.

### Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

#### 7.3. Specific end use(s)

Observe technical data sheet.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **DNEL/DMEL** values

Substance			
	Exposure route	Effect	Value
distillates (petroleum), hydrotreated light paraffinic			
long-term	dermal	systemic	0,97 mg/kg bw/day
long-term	inhalation	systemic	2,73 mg/m³
EL, long-term	oral	systemic	0,74 mg/kg bw/day
EL, long-term	inhalation	local	1,19 mg/m <sup>3</sup>
long-term	inhalation	local	5,58 mg/m³
	distillates (petroleum), hydrotreated light paraffinic long-term long-term EL, long-term EL, long-term	Exposure route   distillates (petroleum), hydrotreated light paraffinic   long-term   dermal   long-term   inhalation   EL, long-term   inhalation	Exposure route Effect   distillates (petroleum), hydrotreated light paraffinic    long-term dermal systemic   long-term inhalation systemic   EL, long-term oral systemic   EL, long-term inhalation local

## **PNEC** values

CAS No	CAS No Substance	
Environmental	compartment	Value
64742-55-8 distillates (petroleum), hydrotreated light paraffinic		
Secondary pois	oning	9,33 mg/kg

#### Additional advice on limit values

a no restriction

b End of exposure or end of shift

c at long-term exposure:

d before next shift

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

## 8.2. Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

3 of 7

according to UK REACH Regulation

Revision date:	Divinol CVT Fluid	
30.03.2022	Article No.: 51870	Page 4 of 7

#### Eye/face protection

Eye glasses with side protection.

## Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

#### Skin protection

Protective clothing.

#### **Respiratory protection**

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

#### **Environmental exposure controls**

Do not allow to enter into surface water or drains.

#### **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Liquid		
red		
characteristic		
		Test method
	not determined	
	not determined	
	not determined	
	0,6 vol. %	
	6,5 vol. %	
	> 170 °C	EN ISO 2592
	not determined	
	not determined	
	not applicable	
	33 mm²/s	ASTM D 7042
	insoluble	
	not determined	
	< 0,1 hPa	
		DIN EN ISO 12185
	not applicable	
	< -39 °C	ASTM D 7346
	not determined	
	not determined	
	red	red characteristic not determined not determined 0,6 vol. % 6,5 vol. % 5 170 °C not determined not determined not determined 33 mm²/s insoluble not determined < 0,1 hPa 0,85 g/cm³ not determined not applicable

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

according to UK REACH Regulation

Revision date:	
30 03 2022	

## **Divinol CVT Fluid**

Article No.: 51870

Page 5 of 7

## 10.2. Chemical stability

No information available.

## 10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

#### 10.4. Conditions to avoid

Heat.

#### 10.5. Incompatible materials

No information available.

#### 10.6. Hazardous decomposition products

No information available.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on hazard classes as defined in GB CLP Regulation

#### Acute toxicity

Based on available data, the classification criteria are not met.

#### **ATEmix calculated**

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation

dust/mist) > 5 mg/l

## Irritation and corrosivity

Based on available data, the classification criteria are not met.

#### Sensitising effects

Based on available data, the classification criteria are not met.

#### Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

#### 11.2. Information on other hazards

#### Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

There are no data available on the mixture itself.

## 12.2. Persistence and degradability

There are no data available on the mixture itself.

## 12.3. Bioaccumulative potential

There are no data available on the mixture itself.

### 12.4. Mobility in soil

No data available

## 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

## 12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7. Other adverse effects

No data available

according to UK REACH Regulation

Revision date: 30.03.2022

## **Divinol CVT Fluid**

## Article No.: 51870

Page 6 of 7

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

## **Disposal recommendations**

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

## List of Wastes Code - residues/unused products

130205 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste engine, gear and lubricating oils; mineral-based non-chlorinated engine, gear and lubricating oils; hazardous waste

#### Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

## **SECTION 14: Transport information**

#### Land transport (ADR/RID)

14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine transport (IMDG)	
<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
14.3. Transport hazard class(es):	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
Marine pollutant:	NO
Air transport (ICAO-TI/IATA-DGR)	
14.1. UN number or ID number:	No dangerous good in sense of this transport regulation.
14.2. UN proper shipping name:	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
14.4. Packing group:	No dangerous good in sense of this transport regulation.
14.5. Environmental hazards	
ENVIRONMENTALLY HAZARDOUS:	No
14.6. Special precautions for user	
No data available	
14.7. Maritime transport in bulk according to	IMO instruments
No data available	
SECTION 15: Regulatory information	
15.1. Safety, health and environmental regul	ations/legislation specific for the substance or mixture
EU regulatory information	
<b>C F</b>	
Restrictions on use (REACH, annex XVII): Entry 75	
Directive 2010/75/EU on industrial emissions:	0 %
Information according to Directive 2012/18/EU (SEVESO III):	Not subject to 2012/18/EU (SEVESO III)

#### National regulatory information

Water hazard class (D):

2 - obviously hazardous to water

## 15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to UK REACH Regulation

Revision date:
30.03.2022

## Divinol CVT Fluid

Article No.: 51870

Page 7 of 7

## **SECTION 16: Other information**

## Changes

This data sheet contains changes from the previous version in section(s): 2,6,8,9,11,12,13,14,15,16.

## Abbreviations and acronyms

Asp. Tox: Aspiration hazard

Eye Irrit: Eye irritation

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association ICAO: International Civil Aviation Organization CAS: Chemical Abstracts Service (a division of the American Chemical Society) DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level PNEC: Predicted No Effect Concentration WEL (UK): Workplace Exposure Limits TWA (EC): Time-Weighted Average STEL (EC): Short Term Exposure Limit ATE: Acute Toxicity Estimate LD50: Lethal Dose, 50% (median lethal dose) LC50: Lethal Concentration, 50% (median lethal concentration) EC50: half maximal Effective Concentration ErC50: EC50 in terms of reduction of growth rate AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen Relevant H and EUH statements (number and full text)

H304	May be fatal if swallowed and enters airways.
H319	Causes serious eye irritation.
EUH210	Safety data sheet available on request.

## **Further Information**

Safety Data Sheet according to COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)